

# Remark Web Survey<sup>®</sup> 5 Supported File Formats

User's Guide Addendum



Remark Products Group  
301 Lindenwood Drive, Suite 100  
Malvern, PA 19355-1772 USA  
[www.gravic.com](http://www.gravic.com)

## **Disclaimer**

The information contained in this document is subject to change without notice and should not be construed as a commitment by Gravic, Inc., who assumes no responsibility for any errors or omissions. Gravic, Inc. reserves the right to revise this document and to make changes to the products described herein for the purpose of product improvement at any time, without obligation to notify any person of such revisions or changes.

## **Notice**

The information contained in this document is the exclusive property of Gravic, Inc. This work is protected under United States Copyright Law and other international copyright treaties and conventions. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage or retrieval system, except as expressly permitted in writing by Gravic, Inc. All requests should be sent to: Gravic, Inc., 301 Lindenwood Drive, Suite 100, Malvern, PA 19355-1772 USA. Attention: Product Manager.

## **Trademarks**

Remark Web Survey and Remark Quick Stats are registered trademarks of Gravic, Inc. Other products mentioned are trademarks of their respective holders.

## **Copyright**

Copyright © 2011 Gravic, Inc. All Rights Reserved. Specifications subject to change without notice.

# Contents

<i>1.0 Overview</i>	<i>1</i>
<i>1.1 Remark File Format (RMK)</i>	<i>3</i>
<i>1.2 Remark Web Data Format (RWD)</i>	<i>3</i>
<i>1.3 SQL Server Formats (MDF)</i>	<i>4</i>
<i>1.4 Oracle Formats (*.*)</i>	<i>4</i>
<i>1.5 Access Formats (ACCDB , MDB)</i>	<i>4</i>
<i>1.6 Excel Formats (XLSX, XLS)</i>	<i>5</i>
<i>1.7 Questionmark Format (QSF)</i>	<i>6</i>
<i>1.8 SPSS File Format (SAV)</i>	<i>7</i>
<i>1.9 SPSS Legacy File Format (SAV)</i>	<i>8</i>
<i>1.10 Survey Pro File Format (SRV)</i>	<i>9</i>
<i>1.11 Survey Pro STL File Format (STL, ST3)</i>	<i>9</i>
<i>1.12 ASCII File Formats (ASC)</i>	<i>10</i>
<i>1.13 Spreadsheet File Formats (TXT)</i>	<i>10</i>
<i>1.14 The Survey System File Format (DAT, CRS)</i>	<i>10</i>
<i>1.15 dBase Formats (DBF)</i>	<i>11</i>
<i>1.16 Paradox Formats (DB)</i>	<i>11</i>
<i>1.17 Lotus Formats (WKS, WK1, WK3, WK4)</i>	<i>12</i>
<i>1.18 LXR Test Format (MRG)</i>	<i>12</i>
<i>1.19 Report Format (RPT)</i>	<i>13</i>
<i>1.20 Data Interchange Format (DIF)</i>	<i>13</i>
<i>1.21 XML Format (XML)</i>	<i>13</i>
<i>1.22 HTML Format (HTM, HTML)</i>	<i>14</i>
<i>1.23 ODBC</i>	<i>14</i>
<i>1.24 Custom (TXT, ASC)</i>	<i>14</i>
<i>1.25 Database Update</i>	<i>15</i>
<i>1.26 ODBC Database Update</i>	<i>15</i>



# Remark Web Survey 5 Supported File Formats

---

## 1.0 Overview

This user's guide addendum provides an overview of Remark Web Survey supported data file formats. The following table lists the file formats the Remark Web Survey software supports, their extensions and a brief description. Please refer to individual format sections for more in-depth information. You should consider the file format to which you want to save your data when you are creating your web form. Certain file formats have options and limitations that should be addressed in the web form's properties.

**Note:** The format descriptions and limitations listed are for the most recent version supported. Consult the documentation of application specific formats for up-to-date description and limitation information.

File Format	Extension	Description
Remark Web	RWD	Remark Web Survey format
Remark	RMK	General Remark format used in all Remark products
SQL Server 2000-2005	MDF	SQL Server format
Oracle 7.4 or later	AL	Oracle format
Access 2007-2010	ACCDB	Microsoft Access 2007-2010 format
Access 2000, 2002, 2003	MDB	Microsoft Access 2000-2003 format
Access 95-97	MDB	Microsoft Access 95-97 format
Access 2.0	MDB	Microsoft Access 2.0 format
Access 1.0	MDB	Microsoft Access 1.0 format
Excel 2007-2010	XLSX	Microsoft Excel 2007-2010 format
Excel 97-2003	XLS	Microsoft Excel 97-2003 format
Excel 95	XLS	Microsoft Excel 95 format
Excel 4.0	XLS	Microsoft Excel 4.0 format
Excel 3.0	XLS	Microsoft Excel 3.0 format
Questionmark	QSF	Questionmark Perception format (save only)
SPSS	SAV	SPSS 16 format

Remark Web Survey 5 Supported File Formats

---

<b>File Format</b>	<b>Extension</b>	<b>Description</b>
SPSS Legacy	SAV	SPSS legacy format
Survey Pro	SRV	Survey Pro standard format (Apian Software)
Survey Pro STL	STL	Survey Pro STL format (Apian Software)
ASCII [commas]	ASC	Comma delimited ASCII
ASCII [tabs]	ASC	Tab delimited ASCII
Spreadsheet [commas]	TXT	Comma delimited ASCII with quotes around non-numeric data
Spreadsheet [tabs]	TXT	Tab delimited ASCII with quotes around non-numeric data
Survey System	DAT	The Survey System format (Creative Research Systems)
dBase V	DBF	dBase V format
dBase IV	DBF	dBase IV format
dBase III	DBF	dBase III format
Paradox 7-8	DB	Paradox 7-8 format (new file or overwrite existing file only)
Paradox 5.X	DB	Paradox 5.X format (new file or overwrite existing file only)
Paradox 4.X	DB	Paradox 4.X format (new file or overwrite existing file only)
Paradox 3.X	DB	Paradox 3.X format (new file or overwrite existing file only)
Lotus WK4	WK4	Lotus Works 4 format (open only)
Lotus WK3	WK3	Lotus Works 3 format
Lotus WK1	WK1	Lotus Works 1 format
Lotus WJ3	WJ3	Lotus WJ3 format (Japanese)
Lotus WJ2	WJ2	Lotus WJ2 format (Japanese)
Lotus 1-2-3	WKS	Lotus 1-2-3 format
LXR Test	MRG	LXR Test format
Report	RPT	Fixed format ASCII, cell text padded (you will receive an error message if the text exceeds the specified record length)
Data Interchange Format	DIF	Standard format using file header and data section
XML	XML	Extensible Markup Language format
HTML	HTM	Hypertext Markup Language

<b>File Format</b>	<b>Extension</b>	<b>Description</b>
ODBC	*.*	Open Database Connectivity
Custom	ASC, TXT	Custom Text format
Database Update	XLS, XLSX, MDB, ACCDB	Access or Excel format that updates an existing file
ODBC Database Update	*.*	Open Database Connectivity format that updates an existing database file

Remark Web Survey can save and open data in dozens of different file formats. Each format has its own requirements and limitations. The following sections are designed to give you a brief overview of each format, some considerations when using the format in Remark Web Survey and some possible format limitations. Please consult the user's guide of any application-specific formats (e.g., Access, Excel, SPSS...) for more detailed information.

## 1.1 Remark File Format (RMK)

The Remark file format is proprietary to the Remark software and, therefore, can only be used in Remark applications. We recommend that you use the Remark file format as your default file format and only save to other file formats when exporting data to other applications.

<b>Extension</b>	▪ RMK
<b>Options</b>	▪ None
<b>Limitations</b>	▪ None

## 1.2 Remark Web Data Format (RWD)

The Remark Web Data format is proprietary to the Remark Web Survey software. Web form submissions that are stored on your web server are saved in this format. When data are downloaded from the web server, the .rwd file is what is downloaded. You can then save the data to any one of the many supported file formats listed on the following pages. Note that only Remark Web Survey can properly read the RWD format.

<b>Extension</b>	• RWD
<b>Options</b>	• None
<b>Limitations</b>	• None

### 1.3 SQL Server Formats (MDF)

The SQL Server file formats are proprietary to the SQL Server database program by Microsoft Corporation. Remark Web Survey supports the SQL Server version 2000-2005 formats. Remark Web Survey can save data to a new SQL Server database, add new tables to existing SQL Server databases and append data to existing SQL Server tables.

---

<b>Extension</b>	<ul style="list-style-type: none"> <li>• MDF</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Server: The SQL Server format saves data to the server you specify.</li> <li>• Database: The SQL Server format saves data to the database you specify.</li> <li>• Table Name: The SQL Server format saves data to the table within the database you specify. You may create new tables or save to existing tables.</li> <li>• Login: You may login to the database for security.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Consult your database documentation for specific format limitations.</li> </ul>

---

### 1.4 Oracle Formats (\*.\*)

The Oracle file formats are proprietary to the Oracle database program by Oracle. Remark Web Survey supports the Oracle version 7.4 and later formats. Remark Web Survey can add new tables to existing Oracle databases and append data to existing Oracle tables.

---

<b>Extension</b>	<ul style="list-style-type: none"> <li>• AL</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Server: The Oracle format saves data to the server you specify.</li> <li>• Table Name: The Oracle format saves data to the table within the database you specify. You may create new tables or save to existing tables.</li> <li>• Login: You may login to the database for security.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Consult your database documentation for specific format limitations.</li> </ul>

---

### 1.5 Access Formats (ACCDB , MDB)

The Access file formats are proprietary to the Access database program by Microsoft Corporation. Remark Web Survey supports the Access version 1.0 through 2010 file formats. Column (field) names in Remark Web Survey are used as field names when saving to an Access database. Remark Web Survey can save data to a new Access database, add new tables to existing Access databases and append data to existing Access tables.

**Note:** If you have Microsoft Office 2010 and are not seeing the 2007-2010 format, download the "2007 Office System Driver: Data Connectivity Components" from the Microsoft website.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• ACCDB, MDB</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Table Name: When saving to an Access database, you must select a table name to which to save the data.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Field and table names can contain a maximum of 60 characters (including spaces). Field and table names cannot include: leading spaces, periods (.), exclamation points (!), accent graves (`) and brackets ([]).</li> <li>• An Access table can hold a maximum of 255 fields.</li> <li>• All field names must be unique.</li> <li>• An Access table record can hold a maximum of 2000 characters (excluding Memo and OLE object fields).</li> <li>• If saving data to an existing table, grid column headers (field names) in Remark Web Survey must match table field names.</li> <li>• When Remark Web Survey creates an Access table, textual fields can contain a maximum of 255 characters. If you would like a field to support more than 255 characters, edit the database in Microsoft Access and change the field type from a Text field to a Memo field. Alternatively, click the Advanced button in the Remark Web Survey Save Data window and change the field type to Memo.</li> </ul>

## 1.6 Excel Formats (XLSX, XLS)

The Excel file formats are proprietary to the Excel spreadsheet program by Microsoft Corporation. Remark Web Survey supports the Excel version 3.0 through 2010 file formats. Column (field) names in Remark Web Survey are used as field names when saving to an Excel spreadsheet. Remark Web Survey can save data to a new Excel spreadsheet, add new sheets to existing Excel spreadsheet and append data to existing Excel files.

**Note:** If you have Microsoft Office 2010 and are not seeing the 2007-2010 format, download the "2007 Office System Driver: Data Connectivity Components" from the Microsoft website.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• XLSX, XLS</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Sheet Name: When saving to an Excel spreadsheet, you must select a sheet name to which to save the data.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Spaces in field names will be automatically converted to underscores.</li> <li>• All field names must be unique.</li> <li>• Field names are limited to 60 characters.</li> <li>• An Excel table can hold a maximum of 255 fields.</li> <li>• If saving data to an existing sheet, grid column headers (field names) in Remark Web Survey must match spreadsheet field names.</li> <li>• A cell can contain a maximum of 255 characters.</li> </ul>

- You may create new worksheets or append data to existing worksheets. You may not overwrite existing worksheets.
- 

## 1.7 Questionmark Format (QSF)

The Questionmark format is proprietary to the Questionmark Perception assessment software program. This format has specific parameters that must be defined, including a Snapshot ID (the value that uniquely identifies the assessment) and the Participant (the field that identifies each respondent). Additionally, there are optional parameters you may specify, including the Group, Details, Date and Monitor. This information should closely match what was originally defined in Perception. For example, the Snapshot ID used should already be defined in Perception as the ID for this particular form, the Participant IDs should already be defined in Perception as the student identifiers, Group should already be defined, Questions should already be defined in the same order as they appear in this form, Special fields should already be defined in the appropriate order and Details should already be defined (as to what type of information the field should contain). Please see the table below for further details.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• QSF</li> </ul>
<b>Required Parameters</b>	<ul style="list-style-type: none"> <li>• Snapshot ID: A value that uniquely identifies the assessment. Each record in the data file must contain the same Snapshot ID. The Snapshot ID must be a numeric value from 1 to 99999999. Choose a field containing the Snapshot ID or enter one manually.</li> <li>• Participant: Participant, student or respondent identifier. This field uniquely identifies each respondent. Every record in the data file must contain a unique Participant identifier. Choose the field containing this information.</li> </ul>
<b>Optional Parameters</b>	<ul style="list-style-type: none"> <li>• Group: Group, category, course or department. This entry should match the groups defined in your Questionmark application. Choose the field containing the group or enter a group name manually.</li> <li>• Details: Optional demographic data. Choose the field containing the details or enter a value manually.</li> <li>• Date: Date the assessment took place. Choose a field containing the date or enter one manually.</li> <li>• Monitor: Monitor, teacher or instructor name. Choose the field containing the monitor name or enter one manually.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• The Questionmark format is only available when saving data. You may create new files or overwrite existing files, but you cannot open the files in Remark Web Survey.</li> <li>• Field names cannot contain double quotes ("").</li> <li>• Spaces entered before or after a field name or data label will be ignored. However, spaces in the middle of a field name or data label will be counted. (e.g., "John" becomes "John" but "John Smith" remains "John Smith.")</li> </ul>

- Graded questions MUST use field names of "Q1, Q2, Q3..." or "Question1, Question2, Question3..."
  - You may optionally define questions called "Special1 - Special10" that can contain more optional demographic data.
  - The following fields can contain a max of 50 characters (any more will be truncated): Participant, Group, Details, Monitor, Special1 - Special10.
  - All exceptions should be corrected before exporting to this format. Any exception found in the graded questions when exporting will be treated as an unanswered question.
- 

## 1.8 SPSS File Format (SAV)

The SPSS 16 file format is proprietary to the SPSS statistical software program by SPSS, Inc. The column headers (field names) in Remark Web Survey are saved as SPSS variable names. The question text, if entered, is saved as SPSS variable labels. Remark Web Survey uses the Labels and Values defined when creating the web form as SPSS value labels and value numbers, respectively. Missing, invalid or unrecognized responses in Remark Web Survey are assigned an SPSS missing value of -1 by default.

**Note:** The SPSS file format outputs numeric data for each of your Labels. By default, Remark Web Survey uses a sequential numbering scheme, called Values, which begins with 1 for the first Label. You may change these values in the web form by selecting a question's properties.

---

<b>Extension</b>	<ul style="list-style-type: none"> <li>• SAV</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Save Headers: The Save Headers option in the Save Data window will save the grid column headers (field names) as the header names in the SPSS data file. If Save Headers is not selected, default variable names are used (e.g., v1, v2, etc.).</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Data saved to an SPSS format can have a maximum of 255 characters per cell. Remark Web Survey automatically truncates any cell text that is greater than 255 characters when saving to an SPSS file.</li> <li>• Labels (Value Labels in SPSS) can have a maximum of 60 characters.</li> <li>• Values: If custom Values are not defined during web form creation, Remark Web Survey assigns Values in sequential order to use as SPSS Values.</li> <li>• Field names (Variable Names in SPSS) can have a maximum of 60 characters. If a field name has more than eight characters, it is truncated.</li> <li>• Field names (Variable Names in SPSS) must be unique. If a field name is used more than once, SPSS will convert the name to a standard naming convention (e.g., v1).</li> <li>• Question text (Variable Labels in SPSS) can have a maximum of 120 characters.</li> </ul>

---

- Questions that allow more than one response are broken into separate Boolean questions for each answer option and the answers are saved as a dichotomy of 1 representing selected and 0 representing not selected. The question is then defined as an SPSS multiple response set that can then be analyzed.
- 

## 1.9 SPSS Legacy File Format (SAV)

The SPSS file format is proprietary to the SPSS statistical software program by SPSS, Inc. The column headers (field names) in Remark Web Survey are saved as SPSS variable names. The question text, if entered, is saved as SPSS variable labels. Remark Web Survey uses the Labels and Values defined when creating the web form as SPSS value labels and value numbers, respectively. Missing, invalid or unrecognized responses in Remark Web Survey are assigned an SPSS missing value of -1 by default. Please note that as new versions of SPSS are released, some items listed below may change. The SPSS format defined in Remark Web Survey allows the most flexibility by being compatible with both older and newer versions of the software.

**Note:** The SPSS file format outputs numeric data for each of your Labels. By default, Remark Web Survey uses a sequential numbering scheme, called Values, which begins with 1 for the first Label. You may change these values in the web form by selecting a question’s properties.

---

<b>Extension</b>	<ul style="list-style-type: none"> <li>• SAV</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Save Headers: The Save Headers option in the Save Data window will save the grid column headers (field names) as the header names in the SPSS data file. If Save Headers is not selected, default variable names will be used (e.g., v1, v2, etc.).</li> <li>• Decimal Places: the Decimal Places option in the Save Data window allows you to select the number of decimal places to use for numeric data.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Data saved to an SPSS format can have a maximum of 255 characters per cell. Remark Web Survey will automatically truncate any cell text that is greater than 255 characters when saving to an SPSS file.</li> <li>• Labels (Value Labels in SPSS) can have a maximum of 60 characters.</li> <li>• Values: If custom Values are not defined during form template creation, Remark Web Survey assigns Values in sequential order to use as SPSS Values.</li> <li>• Field names (Variable Names in SPSS) can have a maximum of eight characters. If a field name has more than eight characters, it will be truncated.</li> <li>• Field names (Variable Names in SPSS) must be unique. If a field name is used more than once, SPSS will convert the name to a standard naming convention (e.g., v1).</li> <li>• Question text (Variable Labels in SPSS) can have a maximum of 120 characters.</li> </ul>

---

- Remark Web Survey can open and save to an uncompressed SPSS format only. Remark Web Survey cannot open compressed SPSS files. If you need to uncompress your SPSS file, first open the file in SPSS. Select the File menu and click Save As. Enter a file name and then click the Paste button. In the Syntax Editor window, change the word "COMPRESSED" to "UNCOMPRESSED." Press Ctrl+A to select the text, then select the Run menu and click Current.
  - SPSS cannot import multiple responses (e.g., (A,B,C)) as numeric data. Questions that allow multiple responses in Remark Web Survey will be formatted as a string when exported to the SPSS file format, which will not import properly. To import questions that allow multiple responses into SPSS as numeric data, set the questions up with the **Treat each answer choice as a separate question** attribute in the web form. As a result, Remark Web Survey will output the responses to separate cells (each answer choice will be treated as a individual question in the data grid). Once the data have been opened in SPSS, you can combine the data for each answer in the question back into one question. Refer to the SPSS User's Guide for more information.
- 

## 1.10 Survey Pro File Format (SRV)

The Survey Pro file format is a comma delimited ASCII file designed for importing into older versions of Survey Pro by Apian Software. Use the Survey Pro file format when exporting data to Survey Pro. Survey Pro imports numeric data most readily. Therefore, when creating a web form that you want to use in Survey Pro, choose the Numeric data type for multiple choice questions. For example, if the possible answers for a particular question are: Excellent, Good, Fair and Poor, use 4, 3, 2 and 1 as the Labels. Textual data are quoted and should only be used for open ended questions. Multiple responses are delimited by semicolons. For example, (1;3;5).

<b>Extension</b>	<ul style="list-style-type: none"> <li>• SRV</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Save Header: The Save Header option in the Save Data window will save the grid column headers (field names) as the first record in the Survey Pro data file. They can be used in field matching when importing the data file.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• You must use the numeric data type for questions and enter corresponding numbers for each answer choice, as described above.</li> </ul>

---

## 1.11 Survey Pro STL File Format (STL, ST3)

Survey Tag Language (STL) is a file format that describes a survey questionnaire and its database. This format is created in the Survey Pro software by Apian Software. Remark Web Survey also includes a Survey Pro STL (STL, ST3) format. Use this format when working with STL files in Survey Pro. Data is always appended to STL files. Remark Web Survey cannot open or overwrite STL data.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• STL, ST3</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• None</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• You may only append to existing STL/ST3 files.</li> </ul>

## 1.12 ASCII File Formats (ASC)

The ASCII file formats are generic and can therefore be used by many different applications. Grid cells are delimited by either commas or tabs. Grid rows are delimited by a carriage return line feed sequence. The file extension used by other applications for ASCII files can vary. Here are some of the more common extensions: ASC, CSV, TSV, TXT.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• ASC</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Save Headers: The Save Headers option in the Save Data window will save the grid column headers (field names) as the first record in the ASCII file.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• If saving a comma delimited ASCII file, other applications may have difficulty opening the file if the data contains multiple responses. Multiple responses typically contain commas, which are also used as cell delimiters. Consider using the Custom format if you have questions that allow more than one response.</li> </ul>

## 1.13 Spreadsheet File Formats (TXT)

The Spreadsheet file formats are generic and can therefore be used by many different applications. The Spreadsheet formats are identical to the ASCII formats with one exception: spreadsheet formats place quotes around textual data. Grid cells are delimited by either commas or tabs. Grid rows are delimited by a carriage return line feed sequence.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• TXT</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Save Headers: The Save Headers option in the Save Data window will save the grid column headers (field names) as the first record in the Spreadsheet data file.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• None</li> </ul>

## 1.14 The Survey System File Format (DAT, CRS)

The Survey System file format is proprietary to The Survey System survey design and analysis software program by Creative Research Systems. When saving to the Survey System file format, Remark Web Survey creates two files: a data file and a questionnaire definition file. To import the data into The Survey System, first import the questionnaire definition file (CRS extension) and then open the data file (DAT extension) within that questionnaire. Consult The Survey System user's guide for additional

information. Data may only be saved to The Survey System format (not opened in Remark Web Survey).

---

<b>Extensions</b>	<ul style="list-style-type: none"><li>• DAT, CRS</li></ul>
<b>Options</b>	<ul style="list-style-type: none"><li>• None</li></ul>
<b>Limitations</b>	<ul style="list-style-type: none"><li>• You may create new data files or overwrite existing files only (not open data files in Remark Web Survey).</li></ul>

---

### 1.15 dBase Formats (DBF)

The dBase file formats are commonly used database file formats used to transfer information between applications. Remark Web Survey supports dBase version III, IV, and V file formats. Column (field) names in Remark Web Survey are used as field names when saving to a dBase table. A dBase database is represented by a directory. A dBase table is represented by a DBF file within a dBase database. Remark Web Survey can save data to a new dBase table and append data to existing dBase tables.

---

<b>Extension</b>	<ul style="list-style-type: none"><li>• DBF</li></ul>
<b>Options</b>	<ul style="list-style-type: none"><li>• None</li></ul>
<b>Limitations</b>	<ul style="list-style-type: none"><li>• Field names can contain a maximum of 10 characters (including underscores).</li><li>• Spaces in field names will be automatically converted to underscores.</li><li>• All field names must be unique.</li><li>• Field names cannot include punctuation.</li><li>• A dBase table can hold a maximum of 255 fields.</li><li>• If saving data to an existing table, grid column headers (field names) in Remark Web Survey must match table field names.</li><li>• When Remark Web Survey creates a dBase table, textual fields can contain a maximum of 255 characters. If you would like a field to support more than 255 characters, edit the database table in the dBase software program and change the field type from a Text field to a Memo field. Alternatively, click the Advanced button in the Remark Web Survey Save Data window and change the field type to Memo.</li></ul>

---

### 1.16 Paradox Formats (DB)

The Paradox file formats are proprietary to the Paradox database program by Borland International, Inc. Remark Web Survey supports Paradox version 3.X, 4.X, 5.X, and 7-8 file formats. Field names in Remark Web Survey are used as field names when saving to a Paradox database. Remark Web Survey can save data to a new Paradox database or overwrite existing tables.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• DB</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Primary Index: When saving to a Paradox database, you must select a field to use as the primary index.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Primary Index: You must select a field to use as a primary index. A primary index must contain a unique value for every record.</li> <li>• For Remark Web Survey to save data to a Paradox table, the ParadoxNetStyle must be set to the selected Paradox save format. (See your Paradox database documentation for more information on the ParadoxNetStyle property.)</li> <li>• All field names must be unique.</li> <li>• A Paradox table can hold a maximum of 255 fields (columns).</li> <li>• A Paradox record can hold a maximum of 10,800 bytes.</li> <li>• If saving data to an existing table, grid column headers (field names) in Remark Web Survey must match table field names.</li> <li>• When Remark Web Survey creates a Paradox table, textual fields can contain a maximum of 255 characters. If you would like a field to support more than 255 characters, edit the database in Paradox and change the field type from a Text field to a Memo field. Alternatively, click the Advanced button in the Remark Web Survey Save Data window and change the field type to Memo.</li> </ul>

### 1.17 Lotus Formats (WKS, WK1, WK3, WK4)

The Lotus file formats are proprietary to the Lotus 1-2-3 program by Lotus Development Corporation. Remark Web Survey supports the Lotus 1-2-3, WK1, WK3, WK4, WJ2 and WJ3 formats.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• WKS, WK1, WK3, WK4, WJ2, WJ3</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• None</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Data saved to a Lotus format can have a maximum of 240 characters per cell. Remark Web Survey will display an error message (listing the cell location) if any cell exceeds 240 characters when saving to a Lotus 1-2-3 file format.</li> <li>• If a cell contains any textual data, the entire column will be saved as a string (text) rather than numeric data.</li> <li>• Data in the WK4 format can only be opened (not saved).</li> </ul>

### 1.18 LXR Test Format (MRG)

The LXR Test format by Logic Extension Resources is a tab delimited ASCII file made for exporting data to LXR Test. The file contains a custom header followed by the data. Grid rows are delimited by a carriage return line feed sequence.

<b>Extension</b>	• MRG
<b>Options</b>	• None
<b>Limitations</b>	• None

## 1.19 Report Format (RPT)

The Report file format is a fixed width ASCII file. Each cell is padded, if necessary, to the specified length. Grid rows are delimited by a carriage return line feed sequence. The specified record length is written to the beginning of the file followed by the actual data.

<b>Extension</b>	• RPT
<b>Options</b>	<ul style="list-style-type: none"> <li>• Save Headers: The Save Headers option in the Save Data window will save the grid column headers (field names) as the first record in the Report data file.</li> <li>• Record Length: The Record Length option in the Save Data window allows you to choose the fixed length of each piece of data written to the file.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• If any cells contain data longer than the specified record length, Remark Web Survey will display an error message that lists the cell location.</li> </ul>

## 1.20 Data Interchange Format (DIF)

The Data Interchange file format is a "standard" method of exchanging data between non-compatible programs. By its nature DIF cannot support program-specific information, such as cell formats.

<b>Extension</b>	• DIF
<b>Options</b>	• None
<b>Limitations</b>	• None

## 1.21 XML Format (XML)

The XML format is used to save data to an XML file, which stands for Extensible Markup Language and is widely used for the exchange of data on the Internet and between applications.

<b>Extension</b>	• XML
<b>Options</b>	• None
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Field names can contain a maximum of 60 characters (including spaces).</li> <li>• Field names cannot include: leading spaces, periods (.), exclamation points (!), accent graves (`) and brackets ([]).</li> </ul>

- An XML file can hold a maximum of 255 fields.
  - All field names must be unique.
  - An XML record can hold a maximum of 2000 characters (excluding Memo and OLE object fields).
  - If saving data to an existing file, grid column headers (field names) in Remark Web Survey must match field names.
  - When Remark Web Survey creates an XML file, textual fields can contain a maximum of 255 characters. If you would like a field to support more than 255 characters, edit the file and change the field type from a Text field to a Memo field. Alternatively, click the Advanced button in the Remark Web Survey Save Data window and change the field type to Memo.
- 

## 1.22 HTML Format (HTM, HTML)

HTML stands for Hyper Text Markup Language. Use HTML to publish data and results from Remark Web Survey to the Internet or an intranet. Remark Web Survey saves data as well as graphs (from analysis reports) for inclusion in web-based documents.

<b>Extension</b>	• HTM, HTML
<b>Options</b>	• None
<b>Limitations</b>	• None

## 1.23 ODBC

ODBC stands for Open Database Connectivity. Many types of databases have ODBC drivers available. To use Remark Web Survey with an ODBC driver, it must be installed and configured correctly. Consult your database documentation for configuration and installation instructions.

<b>Extension</b>	• *.*
<b>Options</b>	• None
<b>Limitations</b>	• Consult your database documentation for specific format limitations.

## 1.24 Custom (TXT, ASC)

The Custom format allows you to create a customized text file. This format is useful for exporting data into a database or application that has very specific requirements. The format can also be used to break apart rows of data into multiple rows. Please see Section 10.12.2 in your main user's guide for further details about using the Custom format.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• TXT, ASC</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• See Section 10.12.2 of the Remark Web Survey user’s guide</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• See Section 10.12.2 of the Remark Web Survey user’s guide</li> </ul>

## 1.25 Database Update

The database update format allows you to update an existing database based on the data in the Remark Web Survey data grid (Access or Excel). The data are matched to the existing database by the field names and a mapping process. When saving to this format, you map the fields in the Remark Web Survey data to the fields in the existing database. You also choose a question (or questions) to be the record identifier. If the record identifier exists in the database it will be updated with what is in Remark Web Survey. For example, if you were conducting a course evaluation and asked for the students’ ID number on the form, you could use the student ID as the record ID to update an external database using the Database Update format. During the save process, Remark Web Survey attempts to find the Student ID in the database and then updates the data fields associated with that student. If the student ID is not found, you have the option of adding the student record to the database.

<b>Extension</b>	<ul style="list-style-type: none"> <li>• ACCDB, MDB, XLSX, XLS</li> </ul>
<b>Options</b>	<ul style="list-style-type: none"> <li>• Table Name: Select the table in the database to which to save the data.</li> <li>• Field Mapping: Map the fields in the web form to the fields in the database in order to update the database records (Remark Web Survey will attempt to do this for you based on field names). Choose the field to use as an identifier so that Remark Web Survey knows how to locate and match the data.</li> </ul>
<b>Limitations</b>	<ul style="list-style-type: none"> <li>• Consult your database documentation for specific format limitations.</li> </ul>

## 1.26 ODBC Database Update

The ODBC Database Update format works the same as the Database Update format, but uses an ODBC connection to save the data. You will need to install and ODBC driver for the desired database format and setup an ODBC connection in the Save Data window. Then you can update an existing database using the ODBC Database Update format. To reiterate how updating a database works: The data are matched to the existing database by the field names and a mapping process. When saving to this format, you map the fields in the Remark Web Survey data to the fields in the existing database. You also choose a question (or questions) to be the record identifier. If the record identifier exists in the database it will be updated with what is in Remark Web Survey. For example, if you were conducting a course evaluation and asked for the students’ ID number on the form, you could use the student ID as the record ID to update an external database using the Database Update format. During the save process, Remark Web Survey attempts to find the Student ID in the database and then updates the data fields associated with that student. If the student ID is not found, you have the option of adding the student record to the database.

<b>Extension</b>	<ul style="list-style-type: none"><li>• *.*</li></ul>
<b>Options</b>	<ul style="list-style-type: none"><li>• See Section 10.12.3 of the Remark Web Survey user's guide.</li></ul>
<b>Limitations</b>	<ul style="list-style-type: none"><li>• Consult your database documentation for specific format limitations.</li></ul>

---